

Titan Duo

Versatile dual-reflective film
for interior installation

Optical and Solar Properties:	Dual Reflective Titan Duo 05	Dual Reflective Titan Duo 15
Visible Light Transmitted	7 %	12 %
Visible Light Reflected, interior	18 %	25 %
Visible Light Reflected, exterior	59 %	56 %
Ultra Violet Block	99 %	99 %
Total Solar Energy Reflected	53 %	51 %
Total Solar Energy Transmitted	7 %	9 %
Total Solar Energy Absorbed	40 %	40 %
Shading Coefficient	0.21	0.24
Solar Heat Gain Coefficient	0.18	0.20
Emissivity	0.78	0.78
U-Value (Winter)	1.01	1.01
Glare Reduction	92 %	85 %
Total Solar Energy Rejected	82 %	80 %
Item Number	R058W0S	R058W1S

Performance results are calculated on 3mm glass using NFRC methodology and LBNL Window 5.2 software, and are subject to variations in process conditions within industry standards and are only intended for estimating purposes.

Hanita Coatings RCA, Ltd
Kibbutz Hanita, 22885, Israel
Tel: +972 4 9859919
Fax: +972 4 9859920

solar@hanitacoatings.com | www.hanitacoatings.com



Hanita Coatings